


DEK-DRAIN

Commercial & Domestic Channel Drainage



DEKS
Easy to Work With

www.deks.co.uk | sales@deks.co.uk | 01275 858866

4ALL

Channels



Dek-Drain 4ALL Channels

Available in plastic, galvanised steel and stainless steel A15 gratings in compliance with EN 1433. Made from light weight and enhanced strength HD-PE material.



A15

Product Code	Edge Rail	Dimensions L x W x H (mm)	Grating	List Price (£)
DCD-1M-PL	Plastic	1000 x 120 x 92	Plastic	£ 5.90
DCD-1M-GS	Plastic	1000 x 120 x 92	Galvanised Steel	£ 8.50
DCD-1M-SS	Plastic	1000 x 120 x 92	Stainless Steel	£ 15.60

Garage Pack



Dek-Drain 4ALL Garage Pack

3 x galvanised steel + 1 x outlet + 2 x end caps. A15 gratings are in compliance with EN 1433. Made from light weight and enhanced strength HD-PE material.



A15

Product Code	Edge Rail	Dimensions L x W x H (mm)	Grating	List Price (£)
DCD-GP	Plastic	1000 x 120 x 92	Galvanised Steel	£ 25.00

Accessories



Dek-Drain 4ALL Channels

Plastic & Galvanised Steel corner quads - end caps and outlet connectors. All components are made to easily connect with the lengths of channel to create a seamless run.



A15

Product Code	Edge Rail	Dimensions L x W x H (mm)	Grating	List Price (£)
DCD-CQ-PL	Plastic	120 x 120 x 80	Plastic	£ 7.50
DCD-CQ-GS	Plastic	120 x 120 x 80	Galvanised Steel	£ 9.00
DCD-AS	Accessories bag includes outlet connector and two end caps			£ 2.40

VIP 100

Channels



Dek-Drain VIP 100 Channels

Available with B125 + C250 gratings in compliance with EN1433.
Fully HD-PE requires no supporting edge rail.

Product Code	Edge Rail	External Dimensions L x W x H (mm)	Internal Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Capacity (dm ³)
DCD-VIP-100/55	Plastic	1000 x 158 x 95	1000 x 100 x 55	£ 9.89	1.4	5.44
DCD-VIP-100/80	Plastic	1000 x 158 x 120	1000 x 100 x 80	£ 9.89	1.6	6.92
DCD-VIP-100/100	Plastic	1000 x 158 x 154	1000 x 100 x 100	£ 13.23	2.05	8.95
DCD-VIP-100/160	Plastic	1000 x 158 x 214	1000 x 100 x 160	£ 14.85	2.55	14.52

Gratings



VIP 100 B125 Mesh Ductile Iron

For pavements, lay-bys and private car parks.
Mesh opening size 21.5 x 17.5 mm.



Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-MD-B125	Mesh Ductile B125 500mm	498 x 148 x 20	£ 21.49	3.4	DCD-K1-DI



VIP 100 B125 Mesh Galvanised

For pavements, lay-bys and private car parks.
Mesh opening size 32.2 x 32.2 mm.



Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-MG-B125	Mesh Galv B125 1000mm	998 x 148 x 20	£ 41.26	4.6	DCD-K2-GS
DCD-DS-B125	Ductile Slotted C250 500mm	498 x 148 x 20	£ 21.78	4.1	DCD-K1-DI



VIP 100 C250 Ductile Iron Heelguard

For kerbs, historical town centres (slow traffic), parking areas.
6mm slot size.



Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DH-C250	Ductile Heelguard C250 500mm	498 x 148 x 20	£ 26.41	4	DCD-K1-DI



VIP 100 C250 Ductile Iron Slotted

For areas with no foot traffic or verges.
20mm slot size.



Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DS-C250	Ductile Slotted C250 500mm	498 x 148 x 20	£ 21.78	4.1	DCD-K1-DI

SMART 100

Channels



Dek-Drain Smart 100 Channels

Available with B125 + C250 gratings in compliance with EN1433.
Fully HD-PE channel with a supporting edge rail.

Product Code	Edge Rail	External Dimensions L x W x H (mm)	Internal Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Capacity (dm ³)
DCD-SMART-100/80	Galv 2.4 mm	1000 x 158 x 121	1000 x 100 x 80	£ 24.10	3.3	6.92
DCD-SMART-100/100	Galv 2.4 mm	1000 x 158 x 155	1000 x 100 x 100	£ 27.39	3.6	8.95
DCD-SMART-100/160	Galv 2.4 mm	1000 x 158 x 215	1000 x 100 x 160	£ 29.06	4.1	14.52

Gratings



VIP 100 B125 Mesh Ductile Iron

For pavements, lay-bys and private car parks.
Mesh opening size 21.5 x 17.5 mm.



B125

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-MD-B125	Mesh Ductile B125 500mm	498 x 148 x 20	£ 21.49	3.4	DCD-K1-DI




VIP 100 B125 Mesh Galvanised

For pavements, lay-bys and private car parks.
Mesh opening size 32.2 x 32.2 mm.



B125

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-MG-B125	Mesh Galv B125 1000mm	998 x 148 x 20	£ 41.26	4.6	DCD-K2-GS
DCD-DS-B125	Ductile Slotted B125 500mm	498 x 148 x 20	£ 21.78	4.1	DCD-K1-DI



VIP 100 C250 Ductile Iron Heelguard

For kerbs, historical town centres (slow traffic), parking areas.
6mm slot size.



C250

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DH-C250	Ductile Heelguard C250 500mm	498 x 148 x 20	£ 26.41	4	DCD-K1-DI



VIP 100 C250 Ductile Iron Slotted

For areas with no foot traffic or verges.
20mm slot size.



C250

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DS-C250	Ductile Slotted C250 500mm	498 x 148 x 20	£ 21.78	4.1	DCD-K1-DI

WING 100

Channels



Dek-Drain WING 100 Channels

Available with D400, E600 & F900 gratings in compliance with EN 1433. Incorporates 4.2 mm galvanised supporting edge rail.

Wing	Edge Rail	External Dimensions L x W x H (mm)	Internal Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Capacity (dm ³)
DCD-WING-100/100	Galv 4.2	1000 x 158 x 161	1000 x 100 x 100	£ 34.07	4.4	8.95
DCD-WING-100/160	Galv 4.2	1000 x 158 x 221	1000 x 100 x 160	£ 35.74	4.9	14.52

Gratings



WING 100 D400 Slotted Ductile Iron

Heavy duty goods vehicles not turning or traversing carriageways, verges, lay-bys, petrol station forecourts (non foot trafficked).
20mm slot size.



D400

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DS-D400	Ductile Slotted D400 500mm	498 X 148 x 25	£ 28.40	4.75	DCD-K3-DI



WING 100 E600 Heelguard Ductile Iron

Heavy goods traffic, traversing and turning circles. Fork lift trucks, heavy axle loads, industrial areas, supermarket car parks and petrol station forecourts.
Bus and coach stations. 6mm slot size.



E600

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DH-E600	Ductile Heelguard E600 500mm	498 X 148 x 25	£ 37.64	5	DCD-K3-DI



WING 100 F900 Slotted Ductile Iron

Heavy duty goods traffic, traversing and turning circles. Fork lift trucks, heavy axle loads, industrial areas, supermarket car parks and petrol station forecourts. Bus and coach stations. Ports and airport areas.
20mm slot size.



F900

Product Code	Material	Dimensions L x W x H (mm)	List Price (£)	Weight (kg)	Fixing Kit
DCD-DS-F900	Ductile Slotted F900 500mm	499 X 148 x 25	POA	6.3	DCD-K3-DI

Extras

End Caps




Dek-Drain Commercial End Caps

Open and closed end caps to suit all channel drainage sizes available. End caps are secured easily into the end joint. Made from HD-PE material.

Product Code	Description	List Price (£)
DCD-ECC-100/55	Closed End Cap 100/55	£ 3.55
DCD-ECC-100/80	Closed End Cap 100/80	£ 3.55
DCD-ECC-100/100	Closed End Cap 100/100	£ 3.55
DCD-ECC-100/160	Closed End Cap 100/160	£ 3.55
DCD-ECO-100/55	Open End Cap 100/55	£ 3.55
DCD-ECO-100/80	Open End Cap 100/80	£ 3.55
DCD-ECO-100/100	Open End Cap 100/100	£ 3.55
DCD-ECO-100/160	Open End Cap 100/160	£ 3.55

Fixing Kits



Dek-Drain Fixing Kits

Available to suit ductile and galvanised grates. Three kits are available, including tie rods and screws.

Product Code	Description	List Price (£)
DCD-K1-DI	(Kit 1) 2 Tie-rod + Screws - Ductile Iron (for 1 mtr)	£ 2 .65
DCD-K2-GS	(Kit 2) 2 Tie-rod + Screws 100 for Galvanised Steel (for 1 mtr)	£ 2 .65
DCD-K3-DI	(Kit 3) 8 Screws WING for D400 Ductile Iron (for 1 mtr)	£ 2 .23

Silt Boxes













Dek-Drain Silt Boxes

Available to suit all commercial channels, used to collect silt which can be easily cleaned out. Select the channel grate and fixing kit to suit your system

Product Code	Description	List Price (£)
DCD-VIP-SB	Silt Box VIP 100 (no grate)	£ 51.87
DCD-SMART-SB	Silt Box Smart 100 (no grate)	£ 74.69
DCD-WING-SB	Silt Box Wing 100 (no grate)	£ 74.69

Why choose Dek-Drain Channel Drainage?

-  Healthier workplace - lightweight channel is easier to handle and safer to install, lowers the risk of back injury.
-  A15 to F900, Plastic, Galvanised Steel, Ductile Iron, Stainless Steel Grates offer a full range capability.
-  Better flow rates and low silt build up increases performance and design durability.
-  Recycled plastics offer the best solution for your carbon footprint (As opposed to cement based products).
-  Tongue and groove Joints offer laying to line and level faster whilst reducing the risk of post installation steps developing.
-  Independently tested to EN 1433 offers guarantee of quality for the complete system.
-  Mesh geometry in the structured wall creates natural anchor in the concrete surround for a longer life cycle.
-  High impact resistance - This greatly reduces breakages and means less waste, lowers price and makes the installed cost cheaper.
-  Plastics offer lower cost installations, Our channel system does not compromise on quality.
-  20 years of manufacture and many 1000's of metres installed all over the world.

Don't see what you need?

Contact us!

e: sales@deks.co.uk

t: 01275 858866





t : 01275 858866
f : 01275 855887
e : sales@deks.co.uk
w : www.deks.co.uk

Deks Industries Europe Ltd
West End Trading Estate
Blackfriars Road
Nailsea, Bristol, BS48 4DJ

While every effort has been made to ensure that the details in this brochure are correct at time of print
we cannot accept responsibility for any errors or omissions

DD-CD 5/16